

ELKAY



Drinking Water Portfolio Model Number Matrix



ELKAY®

TABLE OF CONTENTS

Matrix Guidelines	2
ezH2O® Bottle Filler Models	2
Enhanced ezH2O Bottle Filler — Water Cooler Combos	2
ezH2O Bottle Filler — Water Cooler Combos	3
ezH2O, Other Models	3
ezH2O Liv Residential and Commercial	4
ezH2O In-wall Bottle Filler Models	4
Architectural Fountains with Integral ezH2O	5
Architectural Fountains with ezH2O Retrofit Bottle Filler	5
ezH2O with Architectural Water Cooler	6
ezH2O Outdoor Tubular Bottle Filling Stations	6
Wall Mount Water Cooler Models	7
EZ and EMABF Family Water Coolers	7
Vandal-resistant VRC Water Coolers	8
SwirlFlo® and Soft Sides® Models	9
SwirlFlo Water Coolers	9
Soft Sides Water Coolers	10
SwirlFlo and Soft Sides Fountains	11
Outdoor Fountains	12
Outdoor Tubular Fountains	12
Outdoor Stone Fountains	12
Legacy Wall and Floor Mount Models	13



All Elkay drinking water solutions are ADA-compliant when properly installed. See product specification sheet for details.

ELKAY®

MATRIX GUIDELINES

- **Filtered water coolers** and bottle fillers begin with an “L.”
- **Models ending in “K”** indicate a kit or pick-to-order (PTO) item, which ships in multiple cartons (except for EZWSRK and LZWSRK models).
- **Standard “TL” bi-level design** is left-high/right-low. “TLR” indicates a bi-level reverse configuration with left-low/right-high. EZS and LZS units feature a versatile design that accommodates both.
- **“G” or “GRN”** indicates a **green**, high-efficiency refrigeration system.
- **Units with “F”** indicate **glass filler prepped and** require purchase of the glass filler accessory (LK1110 and LK1114) to be field installed. Models with a back or recessed design, such as EHFSA and EFRC, use the LK109A glass filler, which is factory installed.
- **“BL”** means blank.
- **“VR”** indicates vandal-resistant model.



ezH2O® BOTTLE FILLER MODELS

Enhanced ezH2O Bottle Filler — Water Cooler Combos

LZS TL 8 WS L P

PACKAGING

P	=	One-box Packaging
---	---	-------------------

COOLER CABINET FINISH

L	=	Light Gray Granite
S	=	Stainless Steel

BOTTLE FILLER

WS	=	Water Station
----	---	---------------

CHILLING CAPACITY

8	=	8.0 GPH Refrigeration System
---	---	------------------------------

CONFIGURATION

BL	=	Single Unit
TL	=	Versatile Bi-level Unit (left-high/right-low)

FAMILY

LZS	=	Filtered
-----	---	----------

ezH2O Bottle Filler — Water Cooler Combos

LZS TL 8 WS VR L 2 K

PACKAGING

K	=	Kit (pick-to-order item); ships in multiple cartons
----------	---	---

ELECTRICAL SYSTEM

BL	=	115V/60Hz
2	=	220V/50Hz
3	=	220V/60Hz

COOLER CABINET FINISH

L	=	Light Gray Granite
S	=	Stainless Steel
BL	=	Stainless Steel (VRC/LVRC models only)

BUBBLER STYLE

VR	=	Optional VR Bubbler (except VRC models)
BL	=	Standard Bubbler (VR on VRC/LVRC models; Flexi-Guard® on others)

BOTTLE FILLER

WS	=	Water Station
-----------	---	---------------

CHILLING CAPACITY

8	=	8.0 GPH Refrigeration System
G8	=	GRN 8.0 GPH Refrigeration System (EZS/LZS models)
D	=	Non-refrigerated Single
DD	=	Non-refrigerated Bi-Level

CONFIGURATION

BL	=	Single Unit
TL	=	Bi-level Unit (left-high/right-low); EZS/LZS have versatile design
TLR	=	Bi-level Reverse Unit (left-low/right-high)

FAMILY

EZOO	=	Non-filtered, (2) Sensor-operated Bubblers / LZOO = Filtered, (2) Sensor-operated Bubblers
EZS	=	Non-filtered / LZS = Filtered
EMABF	=	Non-filtered / LMABF = Filtered
VRC	=	Non-filtered VR / LVRCGRN = Filtered VR
VRCGRN	=	Non-filtered GRN / LVRCGRN = Filtered GRN

Other ezH2O Bottle Filler Models:

- **EZWSRK** = Non-filtered Retrofit / **LZWSRK** = Filtered Retrofit
- **EZWSSM** = Non-filtered Surface Mount / **LZWSSM** = Filtered Surface Mount
- **EMASM** = Non-filtered Mechanical Surface Mount
- **EMASMB** = Non-filtered Mechanical Surface Mount Battery-powered with Visual Monitor / **LMASMB** = Filtered
- **EZ8WSSSMC** = Non-filtered Refrigerated Surface Mount / **LZ8WSSSMC** = Filtered Refrigerated Surface Mount
- **DSSBF8S** = Filtered Refrigerated Floor Standing Bottle Filling Station

ELKAY®**ezH2O Liv Residential and Commercial**

LBWD 2 06 WH K

PACKAGING

C	=	Complete (filter box included); ships in single carton (water dispenser)
K	=	Kit (no filter box); ships in multiple cartons (water dispenser and chiller)

FRONT GLASS FINISH

WH	=	Aspen White
BK	=	Midnight

CHILLING CAPACITY

06	=	Includes 1.5 GPH Remote Chiller
00	=	Chiller Not Included

ELECTRICAL SYSTEM

BL	=	115V/60Hz
2	=	220-240V/50-60Hz

FAMILY

LBWD	=	Filtered, Built-in Water Dispenser, Residential
LBWDC	=	Filtered, In-wall Water Dispenser, Commercial

ezH2O In-Wall Bottle Filler Models

EZWS M 8 K

PACKAGING

K	=	Kit (pick-to-order item); ships in multiple cartons
----------	---	---

CHILLING CAPACITY

8	=	8.0 GPH Refrigeration System
D	=	Non-refrigerated

MOUNTING

M	=	Includes Mounting Frame
BL	=	Mounting Frame Not Included (order and purchase separately)

BOTTLE FILLER

EZWS	=	Non-Filtered
EZWSGRN	=	Non-Filtered with GRN Chiller
LZWS	=	Filtered
LZWSGRN	=	Filtered with GRN Chiller

Architectural Fountains with Integral ezH2O

EZWS ERPB M 2 8 K

PACKAGING

K	=	Kit (pick-to-order item); ships in multiple cartons
---	---	---

CHILLING CAPACITY

8	=	8.0 GPH Refrigeration System
---	---	------------------------------

BL	=	Non-refrigerated
----	---	------------------

CONFIGURATION

114	=	Single Unit
-----	---	-------------

2, 117, 217	=	Bi-level Unit
-------------	---	---------------

MOUNTING

M	=	Mounting Frame Included (also included with 217 model configuration)
---	---	--

FOUNTAIN FAMILY

EDFPB	=	Swirlflo
-------	---	----------

ERPB	=	Swirlflo
------	---	----------

LRPB	=	Swirlflo
------	---	----------

EDFP	=	Soft Sides
------	---	------------

BOTTLE FILLER

EZWS	=	Non-filtered
------	---	--------------

LZWS	=	Filtered
------	---	----------

Architectural Fountains with ezH2O Retrofit Bottle Filler

EZWS ERPB 8 RF

CONFIGURATION

RF	=	Retrofit (chiller, fountain and lower panel not included)
----	---	---

CHILLING CAPACITY

8	=	8.0 GPH Refrigeration System
---	---	------------------------------

FOUNTAIN FAMILY

ERPB	=	Swirlflo
------	---	----------

ERFP	=	Soft Sides
------	---	------------

BOTTLE FILLER

EZWS	=	Non-filtered
------	---	--------------

LZWS	=	Filtered
------	---	----------

ELKAY®**ezH2O with Architectural Water Cooler****EZWS SFGRN 2 8 K****PACKAGING****K** = Kit (pick-to-order item); ships in multiple cartons**CHILLING CAPACITY****8** = 8.0 GPH Refrigeration System**CONFIGURATION****BL** = Single Unit**2** = Bi-level Unit**FOUNTAIN FAMILY****SFGRN** = SwirlFlo with GRN Chiller**SS** = Soft Sides**BOTTLE FILLER****EZWS** = Non-filtered**LZWS** = Filtered**ezH2O Outdoor Tubular Bottle Filling Stations****LK4420BF 1U FRK BLU****FINISH****BGE** = Beige**BLK** = Black**BLU** = Blue**BRN** = Brown**EVG** = Evergreen**GRY** = Gray**ORN** = Orange**PUR** = Purple**RED** = Red**TER** = Terracotta**WHT** = White**YLW** = Yellow**FREEZE-RESISTANT OPTION****BL** = Standard (ships in single carton)**FRK** = Freeze-resistant ("K" indicates the complete model); ships in multiple cartons**CONFIGURATION****1L** = Single Bottle Filler, Lower Height Location**1M** = Single Bottle Filler, Middle Height Location**1U** = Single Bottle Filler, Upper Height Location**DB** = Includes Pet Fountain**MODEL****LK4400BF** = Single Pedestal**LK4405BF** = Single Wall Mount ADA**LK4410BF** = Single Pedestal**LK4420BF** = Dual ADA Pedestal**LK4430BF** = Triple ADA Pedestal**LK4481BF** = Hands-free Foot Pedal Accessory (order and purchase separately); compatible with select models; available in every finish

ELKAY®

WALL MOUNT WATER COOLER MODELS

EZ and EMABF Family Water Coolers

LZS TL VR 8 L F 2JO C

PACKAGING

C	=	Complete Bi-level Unit
BL	=	Singles will be blank; Bi-level Unit; One-side replacement only

ELECTRICAL SYSTEM

BL	=	115V/60Hz
2JO	=	220V/50Hz
3JO	=	220V/60Hz

GLASS FILLER OPTION

F	=	Prepped for Glass Filler (order and purchase separately)
BL	=	Not Prepped for Glass Filler

COOLER CABINET FINISH

L	=	Light Gray Granite
S	=	Stainless Steel

CHILLING CAPACITY

8	=	8.0 GPH Refrigeration System
G8	=	GRN 8.0 GPH Refrigeration System (EZS/LZS models only)
D	=	Non-refrigerated, Single
DD	=	Non-refrigerated, Bi-level

BUBBLER STYLE

VR	=	Optional VR Bubbler (except VRC models)
BL	=	Standard Bubbler (VR on VRC/LVRC models; Flexi-Guard on others)

CONFIGURATION

BL	=	Single Unit
TL	=	Bi-level Unit (left-high/right-low); EZS/LZS have versatile design
TLR	=	Bi-level Reverse Unit (left-low/right-high)

FAMILY

EZS	=	Non-filtered / LZS = Filtered
EZO(S)	=	Non-filtered, (1) Sensor-operated Bubbler
EZOO(S)	=	Non-filtered, (2) Sensor-operated Bubblers
EMABF	=	Non-filtered / LMABF = Filtered
LZO(S)	=	Filtered, (1) Sensor-operated Bubbler
LZOO(S)	=	Filtered, (2) Sensor-operated Bubblers

Vandal-resistant VRC Water Coolers

LVRC TL SC FR 8 S F 2JO C

PACKAGING

C	=	Complete Bi-level Unit
BL	=	Singles will be blank; Bi-level Unit; One-side replacement only

ELECTRICAL SYSTEM

BL	=	115V/60Hz
2JO	=	220V/50Hz
3JO	=	220V/60Hz

GLASS FILLER OPTION

F	=	Prepped for Glass Filler (order and purchase separately)
BL	=	Not Prepped for Glass Filler

COOLER CABINET FINISH

S	=	Stainless Steel (not noted on (L)VRCGRN models)
----------	---	---

CHILLING CAPACITY

8	=	8.0 GPH Refrigeration System
D	=	Non-refrigerated Single
DD	=	Non-refrigerated Bi-level

FROST RESISTANCE

FR	=	Optional Frost Resistance (includes heater strip)
BL	=	Frost Resistance Not Included

LOUVER SCREENS

SC	=	Includes Louver Screens
BL	=	Louver Screens Not Included

CONFIGURATION

BL	=	Single Unit
TL	=	Bi-level Unit (left-high/right-low)
TLR	=	Bi-level Reverse Unit (left-low/right-high)

FAMILY

LVRC	=	Filtered VR
LVRCGRN	=	Filtered GRN
LVRCHD	=	Filtered
VRC	=	Non-filtered VR
VRCGRN	=	Non-filtered GRN
VVRCHD	=	Non-filtered VR 14 Gauge

ELKAY®

SWIRLFLO® AND SOFT SIDES® MODELS

SwirlFlo Water Coolers

ERP B M V 28 2 RA K

PACKAGING

K	=	Kit (pick-to-order item); ships in multiple cartons
----------	---	---

CONFIGURATION

RA	=	Bi-level Reverse Unit (left-low/right-high)
BL	=	Standard Bi-Level Unit (left-high/right-low)

ELECTRICAL SYSTEM

BL	=	115V/60Hz
2	=	220V/50Hz
3	=	220V/60Hz

CHILLING CAPACITY

8	=	Single 8.0 GPH
28	=	Bi-level 8.0 GPH

BUBBLER STYLE

V	=	Optional VR Bubbler (except VRC models)
BL	=	Standard Bubbler (VR on VRC/LVRC models; StreamSaver™ Flexi-Guard on GRN models; standard Flexi-Guard on others)

MOUNTING

M	=	Includes Mounting Frame
BL	=	Mounting Frame Not Included (order and purchase separately)

FAMILY

ERP B	=	Non-filtered
ERP BGRN	=	Non-filtered GRN
ENO B	=	Non-filtered Sensor-activated
LRP B	=	Filtered
LRP BGRN	=	Filtered GRN

ELKAY®

Soft Sides Water Coolers

ERFP M VR 8 2 F RA K

PACKAGING

K	=	Kit (pick-to-order item); ships in multiple cartons
----------	---	---

CONFIGURATION

RA	=	Bi-level Reverse Unit (left-low/right-high)
BL	=	Standard Bi-level Unit (left-high/right-low)

GLASS FILLER OPTION

F	=	Prepped for Glass Filler (order and purchase separately)
BL	=	Not Prepped for Glass Filler

ELECTRICAL SYSTEM

BL	=	115V/60Hz
2	=	220V/50Hz
3	=	220V/60Hz

CHILLING CAPACITY

8	=	Single 8.0 GPH
28	=	Bi-level 8.0 GPH

BUBBLER STYLE

VR	=	Optional VR Bubbler
BL	=	Standard Flexi-Guard Bubbler

MOUNTING

M	=	Includes Mounting Frame
BL	=	Mounting Frame Not Included (order and purchase separately)

FAMILY

ECRSP	=	Non-filtered Slimline®
ERFP	=	Non-filtered
ERO	=	Non-filtered Sensor-activated
LCRSP	=	Filtered Slimline
LNFE	=	Filtered Single
LNTE	=	Filtered Bi-level

SwirlFlo and Soft Sides Fountains

EDFPB M V 117 FP RA C

PACKAGING

C	=	Complete Fountain
K	=	Kit (pick-to-order item); ships in multiple cartons; Freeze-resistant

CONFIGURATION

RA	=	Bi-level Reverse Unit (left-low/right-high)
BL	=	Standard Bi-level Unit (left-high/right-low)

FREEZE PROTECTION OR GLASS FILLER OPTION

FP	=	Freeze Protection
F	=	Prepped for Glass Filler (order and purchase separately)
BL	=	No Option Included

OPTIONS

114	=	Single SwirlFlo (EDFPB)
117	=	Bi-level SwirlFlo (EDFPB)
210	=	Short (non-ADA) Single Soft Sides (EDFP)
214	=	Single Soft Sides (EDFP)
217	=	Bi-level Soft Sides (EDFP)
314	=	Single Slimline® Soft Sides (ECDFPW)
14	=	Single Slimline Soft Sides 14 Gauge (EHWM)
17	=	Bi-level Slimline Soft Sides 14 Gauge (EHWM)
214	=	Single Soft Sides 14 Gauge (EHW)
217	=	Bi-level Soft Sides 14 Gauge (EHW)

BUBBLER STYLE

V	=	Optional VR Bubbler (except VRC models)
BL	=	Standard Flexi-Guard Bubbler

MOUNTING

M	=	Includes Surface Mounting Plate
BL	=	No Mounting Included (must purchase in-wall carrier separately, except for models EDP210C, EDP214, EDPB114C and ECDFPW)

FAMILY

EDFPB	=	Non-filtered SwirlFlo
EDFPBW	=	Single with Backpanel
EDFP	=	Non-filtered Soft Sides
ECDFPW	=	Non-filtered Slimline Soft Sides
EHW	=	Non-filtered Soft Sides 14 Gauge

NOTE: The Premium Composite models are indicated with an R, such as EDP214RC and EDPVR217RFPK.

ELKAY®

OUTDOOR FOUNTAINS

Outdoor Tubular Fountains

4405 FRK RED

FINISH			
BGE	=	Beige	ORN = Orange
BLK	=	Black	PUR = Purple
BLU	=	Blue	RED = Red
BRN	=	Brown	TER = Terracotta
EVG	=	Evergreen	WHT = White
GRY	=	Gray	YLW = Yellow

OPTIONS	
BL	= Standard; ships in single carton
DB	= Pet Fountain
FRK	= Freeze-resistant ("K" indicates complete model)
SFRK	= Sanitary Freeze-resistant ("K" indicates complete model)

MODEL	
LF4430	= Triple ADA Pedestal
LK4400	= Single Pedestal
LK4405	= Single Wall Mount ADA
LK4410	= Single Pedestal
LK4420	= Dual ADA Pedestal
LK4460YHHB	= Yard Hydrant with Hose Bib
LK4461YHLHB	= Yard Hydrant with Locking Hose Bib
LK4470NLHB	= Non-locking Hose Bib Accessory (replaces 97887C)
LK4471LHB	= Locking Hose Bib Accessory (replaces 97889C)

Outdoor Stone Fountains

LK4590 SFR (4590 FR FOUNTAIN)

OPTIONS	
BL	= Standard; ships in single carton
FR	= Freeze-resistant; ships in multiple cartons
SFR	= Sanitary Freeze-resistant; ships in multiple cartons

MODEL	
LK4590	= Single ADA Pedestal Arm
LK4591	= Single Pedestal (not ADA)
LK4592	= Single Wall Mount (not ADA)
LK4593	= Single Wall Mount ADA
LK4595	= Dual ADA Pedestal

ELKAY

LEGACY WALL AND FLOOR MOUNT MODELS

EWTLA 8 L F 2 K

EWCA 8 T F 3YJO

PACKAGING

K	=	Kit (pick-to-order item); ships in multiple cartons; EWTLA/LWTLA models
BL	=	Singles will be blank; Bi-level Unit; One-side replacement only; ships in single carton

ELECTRICAL SYSTEM

BL	=	115V/60Hz
2(Y/Z) (JO)	=	220V/50Hz
3(Y/Z) (JO)	=	220V/60Hz

OPTIONS

F	=	Prepped for Glass Filler (order and purchase separately) (except EHFSa and ESWA models)
F	=	Glass Filler Included (LK109A, EHFSa and ESWA models)
P	=	Foot Pedal Activation
K	=	Backpanel Included
BL	=	Not Prepped for Glass Filler

COOLER CABINET FINISH

L	=	Light Gray Granite
S	=	Stainless Steel
T	=	Sandalwood

CHILLING CAPACITY

3	=	3.0 GPH Refrigeration System	14	=	14.0 GPH Refrigeration System
4	=	4.0 GPH Refrigeration System	16	=	16.0 GPH Refrigeration System
5	=	5.0 GPH Refrigeration System	20	=	20.0 GPH Refrigeration System
8	=	8.0 GPH Refrigeration System	D	=	Non-refrigerated
10	=	10.0 GPH Refrigeration System			

FAMILY

EWA	=	Non-filtered Deluxe Wall Mount Single / LWAE = Filtered version
EWTLA	=	Non-filtered Deluxe Wall Mount Bi-Level / LWTLA = Filtered version
EWCA	=	Non-filtered Compact Wall Mount / LWCE = Filtered version
HEW	=	Non-filtered Slant Front Compact Wall Mount
ESWA	=	Non-filtered Simulated Semi-recessed
EHFSA	=	Non-filtered ADA Wall Mount / OHFA = VR
FD700	=	Non-filtered Space-ette® Floor Mount / LFDE = Filtered version
EFA	=	Non-filtered Deluxe Floor Mount / LFAE = Filtered version
EFHA	=	Non-filtered Deluxe Floor Mount Hot and Cold
EFO	=	Non-filtered Deluxe Floor Mount Sensor-activated
EFW	=	Non-filtered Deluxe Floor Mount Water-cooled
EFWC	=	Non-filtered Deluxe Floor Mount Corrosion-resistant
EFY	=	Non-filtered Deluxe Floor Mount Hazardous Location



About Elkay

For more than 101 years, Elkay® Manufacturing has been making innovative products and providing exceptional customer care. Family owned since 1920, Elkay began by making residential butler and pantry sinks. Today, the company has grown to include faucets, foodservice fixtures, water delivery products and architectural millwork in addition to world-class sinks. We are proud to be America's No. 1 selling kitchen sink company, as well as a leading manufacturer of award-winning water delivery products, including the ezH2O® bottle filling station.

Like your family, Elkay has values and traditions that endure. We take pride in offering reliable products that inspire change and leave the world a better place for generations to come. Headquartered in Downers Grove, Illinois, Elkay is American owned and operated providing thousands of jobs that support our families and communities.

ELKAY®

1333 Butterfield Road, Suite 200 | Downers Grove, IL 60515
630.574.8484 | elkay.com | ©2021 Elkay Manufacturing Company

(11/21) F-6200-ELK