BERL'S COMMERCIAL BERLS.COM (800) 409-3131



#### **OPTIMA® SENSOR FAUCET**

### EAF-200-HLT-ISM-CP-0.35GPM-MLM-IQ-FCT

(General Model Name: EAF200-LT-ISM CP ELECT FAUCET (IQ))

#### **CODE NUMBER**

3335172

#### **DESCRIPTION**

Bluetooth Adapter, Hardwired Less Transformer Power Supply, Integrated Side Mixer, Polished Chrome Finish, 0.35 gpm, Multi-Laminar Spray, Infrared Sensor, Optima® Hardwired-Powered Deck-Mounted Mid Body Faucet.

#### **DETAILS**

- Flow Rate: 0.35 gpm (1.3 Lpm) (0.35GPM)
- Spray Type: Multi-Laminar (MLM)
- Sensor Type: InfraredMounting Type: Single Hole
- Power Supply: Hardwired Less Transformer (HLT)
- Temperature Mixer: Integrated Side Mixer (ISM)
- Finish: Polished Chrome (CP)
- Factory Default Timeout: 30 secondsFactory Default Gallons per Cycle: 0.25

#### **FEATURES**

Commercial Grade, ADA Compliant, Electronic, Sensor-Activated, Cast Brass Hand Washing Faucet with the following features:

- Double Infrared Sensors with Automatic Setting Feature and Microprocessor
- Automatic Self-adapting Sensor Technology
- Magnetic Solenoid Valve
- Water Supply Connection with Flexible High-pressure Hose and Strainer
- 6 Volt DC Plug-in Adapter (must be ordered separately for Less Adapter/Transformer (-LT) faucets)
- Appropriate Mounting Hardware included
- IQ-Click feature permits activation of continuous run and temporary off modes
- Daisy Chain Electrical Splitter Cable included with Less transformer (-LT) faucets

#### **ELECTRICAL SPECIFICATIONS**

- Sensor Range: 4"-5" (102-127mm)
- Timeout Adjustment Settings: 30s

#### **VIDEOS**


0

Sloan Connect App®

#### **DOWNLOADS**

- EAF 200/225/250/275 Installation Instructions
- EAF 200/225/250/275 (SP) Installation Instructions
- Faucet Spray Heads Repair and Maintenance Guide
- Optima Plus EAF 200 Repair and Maintenance Guide
- Trim Plate Guide
- Additional Downloads





#### **COMPLIANCES & CERTIFICATIONS**



ASME BF













GREEN



GREEN











(ADA Compliant, ASME A112.18.1 Compliant, BREEAM Materials Credit, BREEAM Water Credit, CEC Compliant, cUPC Certified, cUPC Low Lead Compliant, EPD, Green Globes Materials & Resources Credit, Green Globes Water Credit, HPD, IAPMO, LEED Materials & Resources EPD Credit, LEED Materials & Resources HPD Credit, LEED V4 Water Efficiency Credit, NSF-61, NYC604.4, Proposition 65, Satisfies LEED Credits, TAS, UPC Certified, UPC Low Lead Compliant, WaterSense Listed, WELL Building Standard)

#### **NOTES**

All information contained within this document subject to change without notice.

Phone: 800.982.5839 • Fax: 800.447.8329 • sloan.com



BERLS.COM (800) 409-3131

## SLOAN®

# OPTIMA® SENSOR FAUCET **EAF-200-HLT-ISM-CP-0.35GPM-MLM-IQ-FCT**

(General Model Name: EAF200-LT-ISM CP ELECT FAUCET (IQ))

Looking for other variations of the EAF-200 product? View the general spec sheet with all options.

Find a matching soap dispenser for this faucet. Find a compatible sink for this faucet.

#### **WARRANTY**

View Warranty Information






**OPTIMA® SENSOR FAUCET** 

## EAF-200-HLT-ISM-CP-0.35GPM-MLM-IQ-FCT

(General Model Name: EAF200-LT-ISM CP ELECT FAUCET (IQ))

#### **ROUGH-IN**

EAF-200 Faucets with Single Line Water Supply



## EAF-200-ISM, EAF-200-ISM-IC AND EAF-200-ISM-DPU-IC Faucets with Hot and Cold Water Supply

